

BERETTA

DEFENSE & LAW ENFORCEMENT

BDT
BERETTA DEFENSE TECHNOLOGIES



FABBRICA D'ARMI PIETRO BERETTA 4
BERETTA DEFENSE TECHNOLOGIES 6

1 PISTOLS
APX 10
APX A1 16
PX4 STORM 20
92 FS 26
92 A1 27
M9 28
80X CHEETAH 32

2 SUBMACHINE GUNS
PMX 38
PMX A1 42

3 ASSAULT RIFLES
NARP 48
NARP PRAETORIAN 52
ARX160 A4 56
ARX200 A1 60
ARX200 A1 DMR 64

4 GRENADE LAUNCHERS
GLX160 70

5 SHOTGUNS
1301 TACTICAL 76
1301 C-UAS 80

6 SOUND SUPPRESSORS
B-SILENT 9mm 86
B-SILENT 5,56 / 7,62 mm 87

7 CLOTHING & ACCESSORIES
CLOTHING & ACCESSORIES 88

Fabbrica d’Armi Pietro Beretta

The oldest firearms manufacturer in the world. Founded in 1526 and based in Gardone Val Trompia, Italy. The company remains under the leadership of the Beretta family for 15 generations, making it one of the world’s oldest family-owned and family-run businesses.

Beretta’s firearms have been adopted as the standard weapon by many armed forces, elite units and law enforcement agencies worldwide. Combining traditional craftsmanship and investments in the latest technologies has led Beretta to become one of the top players in the Military and Law Enforcement market as well as the Hunting and Sporting sectors exporting weapons to over 100 countries.



Beretta Defense Technologies

Beretta Defense Technologies (BDT) is a single-source solution provider offering one of the most comprehensive portfolios in the Defense and Law Enforcement market.

By integrating weapon systems, firearms, ammunition, optics, electro-optics, apparel, and accessories, BDT enables customers to streamline procurement processes, reduce time and costs, and simplify system integration.

All solutions are custom-tailored to operational needs, ensuring optimal performance, interoperability, and mission effectiveness across modern combat and policing scenarios.

BERETTA | sako | RWS | SWISS P

Benelli | STEINER | CENTANEX | MFS | norma



PISTOLS



APX



9X19
RWS
SWISS P
MFS

.40 S&W
MFS

The **BERETTA APX** striker-fired semi-automatic pistol, which features a removable internal stainless-steel chassis, can be easily modified with replaceable frame modules of different sizes and colors. The APX's low-profile, snag-free design makes it easy to carry and draw, even when concealed. The magazine release button can be reversed to accommodate right or left-handed use, and the slide catch is present on both sides of the gun.

ECOSYSTEM

1 FRAME

WITH EXTERNAL SAFETY



FULL SIZE



COMPACT



CENTURION



2 BARREL

STANDARD



THREADED



3 MAGAZINE

13RDS



15RDS



17RDS



COMPACT EXTENDED



EXTENDED



4 BACKSTRAP

SMALL



MEDIUM



LARGE



5 RDO PLATE

C-MORE



TRIJICON



LEUPOLD



BURRIS



HOLOSUN



SHIELD



STEINER - AIMPOINT



6 CHASSIS

FIRE CONTROL UNIT



7 SIGHT

STANDARD HEIGHT



SUPPRESSOR HEIGHT



WHITE DOTS
ORANGE DOTS
TRITIUM
BLACK SERRATED

8 OVERSIZE COMPONENT

MAGAZINE RELEASE BUTTON



SLIDE CATCH



9 SOUND SUPPRESSOR

PISTOL 9MM



FORCE-ON-FORCE SIMUNITION AND UTM KIT AVAILABLE FOR THE FULL SIZE VERSION.

APX

TECHNICAL SPECIFICATIONS

The **APX FULL SIZE** is NATO-qualified and comes in three configurations: The RDO features a red dot-ready slide; the Combat comes with a threaded barrel, available in M13.5x1mm or 1/2" -28 UNEF, and a red dot-ready slide; and the Tactical features a special Flat Dark Earth coating with Beretta AquaTech Shield technology.









	FULL SIZE	FULL SIZE **RDO**	FULL SIZE **COMBAT**	FULL SIZE **TACTICAL**
CALIBER	9x19 / .40 S&W	9x19 / .40 S&W	9x19 / .40 S&W	9x19 / .40 S&W
ACTION TYPE	Striker	Striker	Striker	Striker
FRAME TYPE	Polymer	Polymer	Polymer	Polymer
OVERALL LENGTH	192	192	208	192
HEIGHT	142	142	142	142
WIDTH	33	33	33	33
BARREL LENGTH	108	108	121	108
WEIGHT	800	820	820	800
SIGHT RADIUS	160	160	160	160
MAGAZINE	17	17	17	17
THREADED BARREL	No	No	Yes	No
RED DOT READY	No	Yes	Yes	No
PICATINNY RAIL	Yes, 3 slot	Yes, 3 slot	Yes, 3 slot	Yes, 3 slot
COLOR	Black / Flat Dark Earth	Black / Flat Dark Earth	Black / Flat Dark Earth	Flat Dark Earth

TECHNICAL SPECIFICATIONS

The Beretta **APX CENTURION** pistol sits between the APX Full Size and the APX Compact models, offering a high magazine capacity in a compact design. Also available in RDO-ready.









	CENTURION	CENTURION **RDO**	CENTURION **COMBAT**	CENTURION **TACTICAL**
CALIBER	9x19 / .40 S&W	9x19 / .40 S&W	9x19 / .40 S&W	9x19 / .40 S&W
ACTION TYPE	Striker	Striker	Striker	Striker
FRAME TYPE	Polymer	Polymer	Polymer	Polymer
OVERALL LENGTH	177	177	190	177
HEIGHT	132	132	132	132
WIDTH	33	33	33	33
BARREL LENGTH	94	94	107	94
WEIGHT	765	780	780	765
SIGHT RADIUS	145	145	145	145
MAGAZINE	15	15	15	15
THREADED BARREL	No	No	Yes	No
RED DOT READY	No	Yes	Yes	No
PICATINNY RAIL	Yes, 2 slot	Yes, 2 slot	Yes, 2 slot	Yes, 2 slot
COLOR	Black / Flat Dark Earth	Black / Flat Dark Earth	Black / Flat Dark Earth	Flat Dark Earth

APX

TECHNICAL SPECIFICATIONS

The **APX COMPACT** extends the size of the APX series for concealed carry. Despite its compact dimensions, it is easy to control and comfortable to shoot. It is also available in an RDO-ready version.









	COMPACT	COMPACT **RDO**	COMPACT **COMBAT**	COMPACT **TACTICAL**
CALIBER	9x19 / .40 S&W	9x19 / .40 S&W	9x19 / .40 S&W	9x19 / .40 S&W
ACTION TYPE	Striker	Striker	Striker	Striker
FRAME TYPE	Polymer	Polymer	Polymer	Polymer
OVERALL LENGTH	177	177	190	177
HEIGHT	122	122	122	122
WIDTH	33	33	33	33
BARREL LENGTH	94	94	107	94
WEIGHT	750	750	765	750
SIGHT RADIUS	145	145	145	145
MAGAZINE	13	13	13	13
THREADED BARREL	No	No	Yes	No
RED DOT READY	No	Yes	Yes	No
PICATINNY RAIL	Yes, 2 slot	Yes, 2 slot	Yes, 2 slot	Yes, 2 slot
COLOR	Black / Flat Dark Earth	Black / Flat Dark Earth	Black / Flat Dark Earth	Flat Dark Earth

APX A1



9X19
RWS
SWISS P
MFS

The **BERETTA APX A1** builds on the proven ergonomics and reliability of the APX family, incorporating new features developed on the APX platform, following extensive use by military and law enforcement personnel worldwide. The APX A1 has been designed to meet the highest standards of performance, safety and quality, ensuring it is suitable for any user in the field.
The APX A1 features a red dot optic-ready slide with new aggressive serrations, an ergonomic grip with ambidextrous controls, and it maintains the modularity architecture of the APX family.

ECOSYSTEM

1 FRAME

FULL SIZE



COMPACT



EXTERNAL SAFETY



2 BARREL

THREADED



STANDARD



3 MAGAZINE

13RDS



15RDS



17RDS



EXTENDED



COMPACT EXTENDED



4 BACKSTRAP

SMALL



MEDIUM



LARGE



5 RDO PLATE

C-MORE



TRIJICON



LEUPOLD



BURRIS



HOLOSUN



SHIELD



STEINER - AIMPOINT



6 CHASSIS

FIRE CONTROL UNIT



7 SIGHT

STANDARD HEIGHT



SUPPRESSOR HEIGHT



WHITE DOTS
ORANGE DOTS
TRITIUM
BLACK SERRATED

8 OVERSIZE COMPONENT

MAGAZINE RELEASE BUTTON



SLIDE CATCH



9 SOUND SUPPRESSOR

PISTOL 9MM



APX A1

TECHNICAL SPECIFICATIONS

The **APX A1 FULL SIZE** further enhances the platform, delivering superior performance for demanding professional users. It features a crisp trigger with light pull weight, a clean break, and a short reset for fast and accurate follow-up shots. The slide is optic-ready, facilitating the installation of a wide variety of red dot systems.

The **APX A1 FULL SIZE TACTICAL** is an upgrade of the APX A1 FULL SIZE enhancing the platform with new features like improved controls and threaded barrel with a 1/2" x 28 UNEF thread for the installation of sound suppressors or compensator.





	FULL SIZE	FULL SIZE **TACTICAL**
CALIBER	9x19	9x19
ACTION TYPE	Striker	Striker
FRAME TYPE	Polymer	Polymer
OVERALL LENGTH	192	208
HEIGHT	142	148 / 158 / 168
WIDTH	33	33
BARREL LENGTH	108	125
WEIGHT	820	840
SIGHT RADIUS	160	160
MAGAZINE	17	17 / 19 / 21
THREADED BARREL	No	Yes
RED DOT READY	Yes	Yes
PICATINNY RAIL	Yes, 3 slot	Yes, 3 slot
COLOR	Black / Flat Dark Earth / Olive Drab Green / Wolf Gray	Black / Flat Dark Earth / Olive Drab Green / Wolf Gray

TECHNICAL SPECIFICATIONS

The **APX A1 COMPACT** extends the APX A1 series into a more compact format. Despite its reduced dimensions, it remains easy to control and comfortable to shoot.

The **APX A1 COMPACT TACTICAL** is an upgrade of the APX A1 Compact improving the platform with new features like improved controls and threaded barrel with a 1/2" x 28 UNEF thread for installing sound suppressors or compensators.

The **APX A1 CARRY** is the most suitable model in the APX family for concealed carry and as a backup pistol. It features a single-stack magazine with a capacity of 6 or 8 rounds, and its overall width is under 1 inch. Like the rest of the APX A1 series, the slide comes red dot ready. Made in USA.







	COMPACT	COMPACT **TACTICAL**	**CARRY**
CALIBER	9x19	9x19	9x19
ACTION TYPE	Striker	Striker	Striker
FRAME TYPE	Polymer	Polymer	Polymer
OVERALL LENGTH	177	191	143
HEIGHT	132	137 / 147	106
WIDTH	33	33	23
BARREL LENGTH	94	107	78
WEIGHT	785	805	562
SIGHT RADIUS	145	145	125
MAGAZINE	15	15 / 17	6 / 8
THREADED BARREL	No	Yes	No
RED DOT READY	Yes	Yes	Yes
PICATINNY RAIL	Yes, 2 slot	Yes, 2 slot	No
COLOR	Black / Flat Dark Earth / Olive Drab Green / Wolf Gray	Black / Flat Dark Earth / Olive Drab Green / Wolf Gray	Black

PX4 Storm





.40 S&W
MFS

9x19
RWS
SWISS P
MFS

.45 ACP
MFS

The **BERETTA PX4 STORM** is a hammer-fired, semi-automatic pistol developed for military, law enforcement, and professional use. Designed leveraging Beretta's extensive operational experience, it combines durability, reliability, and ergonomic efficiency in a compact and well-balanced platform. Engineered to deliver consistent performance under demanding conditions, the PX4 Storm features a lightweight design and a low recoil system that enhances controllability and shooting comfort. Its high safety standards and ease of handling make it suitable for a wide range of applications, including duty use, personal defense, and concealed carry.
Available in multiple calibers, the PX4 Storm ensures long-term operational reliability, maintaining consistent performance even after prolonged and intensive use.

ECOSYSTEM

1 BARREL

STANDARD



THREADED



2 SLIDE SAFETY

TYPE F



TYPE G



3 MAGAZINE RELEASE BUTTON

SMALL



MEDIUM



LARGE



4 MAGAZINE

15RDS



17RDS



EXTENDED



5 BACKSTRAP

SMALL



MEDIUM



LARGE



6 SIGHT

STANDARD HEIGHT



SUPPRESSOR HEIGHT



WHITE DOTS
ORANGE DOTS
TRITIUM
BLACK SERRATED

7 SOUND SUPPRESSOR

PISTOL 9MM



FORCE-ON-FORCE SIMUNITION AND UTM KIT AVAILABLE FOR THE FULL SIZE VERSION.

BDT
BERETTA DEFENSE TECHNOLOGIES

PX4 Storm

TECHNICAL SPECIFICATIONS

The **PX4 STORM FULL SIZE** is available in three calibers and features a locked breech with a rotating barrel system. The versatility of the PX4 allows it to meet any law enforcement operator's needs, with the following options available: Type F (single/double-action with external slide safety); Type G (single/double-action with external safety lever with decocking only function); Type D (double action only without external safety lever); and Type C (constant action without external safety levers).



FULL SIZE

CALIBER	9x19 / .40 S&W / .45 ACP
ACTION TYPE	SA/DA
FRAME TYPE	Polymer
OVERALL LENGTH	193
HEIGHT	139
WIDTH	38
BARREL LENGTH	102
WEIGHT	785
SIGHT RADIUS	147
MAGAZINE	17
THREADED BARREL	No
RED DOT READY	No
PICATINNY RAIL	Yes, 1 slot
COLOR	Black

TECHNICAL SPECIFICATIONS

The **PX4 STORM COMPACT** pistol extends the PX4 series with a model specifically designed for concealed carry, featuring a shorter slide and grip in proportion to its size.
The Compact Model and the Full Size feature an interchangeable backstrap system and an ambidextrous slide stop lever can be added upon request.



COMPACT

CALIBER	9x19 / .40 S&W
ACTION TYPE	SA/DA
FRAME TYPE	Polymer
OVERALL LENGTH	173
HEIGHT	129
WIDTH	36
BARREL LENGTH	86
WEIGHT	770
SIGHT RADIUS	131
MAGAZINE	15
THREADED BARREL	No
RED DOT READY	No
PICATINNY RAIL	Yes, 1 slot
COLOR	Black

90



9X19
RWS
SWISS P
MFS

.40 S&W
MFS

The **BERETTA 90** series is a range of semi-automatic pistols designed primarily for military and police use. Its reputation for reliability, safety and resilience in operational environments has been well-established and consistently upheld over many years. The tilting-block locking system and short-recoil barrel operation are engineered to ensure a high level of shooting accuracy and reliable performance. The single/double-action, the automatic firing-pin safety and the manual safety with decocking function enable the operator to carry out all duties comfortably and efficiently, while maintaining maximum safety.

ECOSYSTEM

1 BARREL

THREADED



STANDARD



2 MAGAZINE

15RDS



17RDS



EXTENDED



3 SOUND SUPPRESSOR

PISTOL 9MM



4 SLIDE SAFETY

TYPE F



TYPE G



5 OVERSIZE COMPONENT

MAGAZINE RELEASE BUTTON



EXTREME S TRIGGER GROUP UPGRADE



FORCE-ON-FORCE SIMUNITION AND UTM KIT AVAILABLE FOR THE 92FS MODEL.

90

TECHNICAL SPECIFICATIONS

The **92FS** features a durable, non-reflective Bruniton black finish that provides excellent corrosion resistance. It uses a short-recoil, delayed-blowback system that enhances control in both single and double-action firing.



92 FS

CALIBER	9x19 / .40 S&W
ACTION TYPE	SA/DA
FRAME TYPE	Aluminum
OVERALL LENGTH	217
HEIGHT	142
WIDTH	38
BARREL LENGTH	125
WEIGHT	945
SIGHT RADIUS	155
MAGAZINE	15
THREADED BARREL	No
RED DOT READY	No
PICATINNY RAIL	No
COLOR	Black

TECHNICAL SPECIFICATIONS

The **92 A1** features an innovative internal frame buffer that significantly reduces stress on components when firing, providing a smoother and more durable shooting experience. It features a chrome-lined barrel with a deeply recessed combat muzzle crown, as well as a Bruniton non-reflective black finish that is resistant to corrosion and wear. The pistol is designed with a removable front sight, a MIL-STD accessory rail, and a captive recoil-spring assembly for enhanced reliability.



92 A1

CALIBER	9x19 / .40 S&W
ACTION TYPE	SA/DA
FRAME TYPE	Aluminum
OVERALL LENGTH	217
HEIGHT	142
WIDTH	38
BARREL LENGTH	125
WEIGHT	945
SIGHT RADIUS	155
MAGAZINE	17
THREADED BARREL	Available
RED DOT READY	No
PICATINNY RAIL	Yes, 2 slot
COLOR	Black

M9



9x19
RWS
SWISS P
MFS

The **BERETTA M9** is the most reliable semiauto handgun for self-defense and concealed carry. Engineered to meet stringent military standards, the M9 delivers outstanding reliability and its robust design, combined with high-quality materials and Beretta's centuries-long manufacturing expertise, ensures consistent performance and exceptional service life.
Equipped with an ambidextrous safety-decocker, reversible magazine release, corrosion-resistant Bruniton finish, and tool-free field stripping, the M9 is designed for ease of use, rapid maintenance, and maximum operational efficiency.

ECOSYSTEM

1 BARREL

THREADED



STANDARD



2 MAGAZINE

15RDS



17RDS



EXTENDED



3 RDO PLATE

C-MORE



TRIJICON



LEUPOLD



BURRIS



HOLOSUN



SHIELD



STEINER - AIMPOINT



4 SOUND SUPPRESSOR

PISTOL 9MM



5 SLIDE SAFETY

TYPE F



TYPE G



6 OVERSIZE COMPONENT

MAGAZINE RELEASE BUTTON



EXTREME S TRIGGER GROUP UPGRADE



M9

TECHNICAL SPECIFICATIONS

The **M9 A3** is a single/double-action pistol with an external slide-mounted safety and is available in both F and G types (safety and decocking, and decocking only). The M9 A3 was designed to update the Beretta M9 series, which has served as the standard-issue sidearm for the military for the last few decades.

The **M9 A4 FULL SIZE** pistol features the proven design of the M9 series alongside new, modern features. These include a red dot-ready slide, a beveled magazine well and 92X-style thin grips with an aggressive texture for instinctive control and a more natural fit for a wide range of shooters. Made in USA.

The **M9 A4 CENTURION** features all the capabilities of the Beretta M9 A4, but in a more compact size. The M9 A4 features front and rear slide serrations for improved manipulation in all conditions, a threaded barrel for sound suppressor compatibility, and an aggressively textured frame to ensure a secure grip. Made in USA.







	M9 A3	M9 A4 FULL SIZE	M9 A4 CENTURION
CALIBER	9x19	9x19	9x19
ACTION TYPE	SA/DA	SA/DA	SA/DA
FRAME TYPE	Aluminum	Aluminum	Aluminum
OVERALL LENGTH	222	222	210
HEIGHT	143	143	143
WIDTH	38	38	38
BARREL LENGTH	130	130	120
WEIGHT	945	945	900
SIGHT RADIUS	160	160	160
MAGAZINE	10 / 15 / 17	10 / 15 / 18	10 / 15 / 18
THREADED BARREL	Yes	Yes	Yes
RED DOT READY	No	Yes	Yes
PICATINNY RAIL	Yes, 3 slot	Yes, 3 slot	Yes, 3 slot
COLOR	Black / Flat Dark Earth	Flat Dark Earth	Flat Dark Earth



80X



.32 ACP
MFS



.380 ACP
MFS

The **BERETTA 80** series comprises a range of semi-automatic pistols designed primarily for concealed carry. Available in 380 and 32 ACP calibers, they employ a blowback recoil system to reduce overall dimensions and improve handling and control.
The single/double-action, automatic firing pin safety and frame-mounted safety with decocking function ensure that the pistol can always be carried safely. The red dot-ready slide and picatinny rail allow customization with the most popular tactical accessories.

ECOSYSTEM

1 BARREL

THREADED



STANDARD



2 RDO PLATE

SHIELD



HOLOSUN



NOBLEX



3 OVERSIZE COMPONENT

MAGAZINE RELEASE BUTTON



SLIDE CATCH



5 MAGAZINE

10RDS



13RDS



15RDS



4 SOUND SUPPRESSOR

PISTOL 9MM



6 SIGHT

STANDARD HEIGHT





WHITE DOTS
FIBER OPTIC
TRITIUM

80X

TECHNICAL SPECIFICATIONS

With its **80X CHEETAH**, Beretta offers the perfect balance of reliability, concealability, performance and safety. The 80X is designed for experienced professionals operating in challenging and rapidly changing environments.



80X **CHEETAH**

CALIBER	.380 ACP	.32 ACP
ACTION TYPE	SA/DA	SA/DA
FRAME TYPE	Aluminum	Aluminum
OVERALL LENGTH	175	175
HEIGHT	123	123
WIDTH	35	35
BARREL LENGTH	99	99
WEIGHT	680	680
SIGHT RADIUS	132	132
MAGAZINE	13	12
THREADED BARREL	No	No
RED DOT READY	Yes	Yes
PICATINNY RAIL	Yes, 2 slot	Yes, 2 slot
COLOR	Black	Black

TECHNICAL SPECIFICATIONS

The **80X CHEETAH TACTICAL** is an upgrade of the 80X CHEETAH improving the platform with new features like improved controls and threaded barrel with a 1/2" x 28 UNEF thread for the installation of muzzle devices.



80X CHEETAH **TACTICAL**

CALIBER	.380 ACP	.32 ACP
ACTION TYPE	SA/DA	SA/DA
FRAME TYPE	Aluminum	Aluminum
OVERALL LENGTH	190	190
HEIGHT	133	123
WIDTH	35	35
BARREL LENGTH	113	113
WEIGHT	700	700
SIGHT RADIUS	132	132
MAGAZINE	15	12
THREADED BARREL	Yes	Yes
RED DOT READY	Yes	Yes
PICATINNY RAIL	Yes, 2 slot	Yes, 2 slot
COLOR	Black / Flat Dark Earth	Black

SUBMACHINE GUNS



pmx



ECOSYSTEM

1 BUTTSTOCK

FOLDING



U-SHAPE



2 SOUND SUPPRESSOR

9MM



3 INTERFACE

QD



PICATINNY



4 SIGHT

FLIPUP IRON SIGHT



FLIPUP IRON SIGHT SUPERLUMINOVA



FLIPUP IRON SIGHT TRITIUM



5 MAGAZINE COUPLER



6 VERTICAL GRIP

SHORT



LONG



FOLDABLE QD



7 MAGAZINE

30 RDS H-V



30 RDS



20 RDS



15 RDS



SPEED LOADER



8 UPGRADE

TELESCOPIC



A1 LOWER RECEIVER



9 CHARGING LEVER

SHORT



ACCESSORIES

PICATINNY RISER ACRO INTERFACE 1"



PICATINNY RISER 0.5"



QD SLING SWIVELS



FINGER STOP



FORCE-ON-FORCE SIMUNITION AND UTM KIT AVAILABLE.

pmx

TECHNICAL SPECIFICATIONS

The **PMX** submachine gun was developed to meet the precise requirements of law-enforcement and military personnel worldwide. Its use of polymer materials and lightweight alloys enables a compact yet robust design suitable for modern operational environments and close-quarter engagements.



CALIBER	9x19
LOCKING SYSTEM	Blowback
BARREL LENGTH	6,8" (Tri-Lug System)
FIRING MODE	Semiauto / Full Auto / Safe
LENGTH / EXTENDED STOCK	640mm
LENGTH / FOLDED STOCK	418mm
HEIGHT WITH MAGAZINE & FOLDED SIGHT	270mm
WEIGHT WITH EMPTY MAGAZINE	2,5kg
MAGAZINE CAPACITY	15 / 20 / 30
MAGAZINE MATERIAL	Polymer
COLOR	Black



9x19
RWS
SWISS P
MFS



pmx A1



ECOSYSTEM

1 BUTTSTOCK

TELESCOPIC



U-SHAPE



FOLDING



2 SOUND SUPPRESSOR

9MM



3 INTERFACE

QD



PICATINNY



4 SIGHT

FLIPUP IRON SIGHT



FLIPUP IRON SIGHT SUPERLUMINOVA



FLIPUP IRON SIGHT TRITIUM



5 VERTICAL GRIP

SHORT



LONG



FOLDABLE QD



6 MAGAZINE

30 RDS H-V



30 RDS

20 RDS



15 RDS



SPEED LOADER



7 PISTOL GRIP

AR 15 STYLE 30°



AR 15 STYLE 15°



ACCESSORIES

PICATINNY RISER ACRO INTERFACE 1”



PICATINNY RISER 0,5”



QD SLING SWIVELS



MAGAZINE COUPLER



FINGER STOP



pmx A1

TECHNICAL SPECIFICATIONS

The **PMX A1** features enhanced controls compared to previous versions, along with a telescopic stock that improves concealability and operational flexibility. It also incorporates a modular grip insert compatible with NARP and various third-party stock systems.
Internally, the PMX A1 has been upgraded with a new recoil system and a redesigned bolt to further enhance reliability and functional performance.



CALIBER	9x19
LOCKING SYSTEM	Blowback
BARREL LENGTH	6,8" (Tri-Lug System)
FIRING MODE	Semiauto / Full Auto / Safe / 3 Round Burst
LENGTH / COLLAPSED STOCK	470mm
LENGTH / EXTENDED STOCK	610mm
HEIGHT WITH MAGAZINE & FOLDED SIGHT	270mm
WEIGHT WITH EMPTY MAGAZINE	2,6kg
MAGAZINE CAPACITY	20 / 30
MAGAZINE MATERIAL	Polymer
COLOR	Black



9x19
RWS
SWISS P
MFS



ASSAULT RIFLES



NARP



STEINER MPS RED DOT

STEINER MK4 BATTLE LIGHT

STEINER E-OPTICS D-BAL A3 LASER / ILLUMINATOR IR

ECOSYSTEM

1 BARREL

11.5”



16”



14.5”



2 BUTTSTOCK

TELESCOPIC



COLLAPSIBLE



FOLDING COLLAPSIBLE



3 HANDGUARD

11.5” - 42 SLOTS



14,5” - 48 SLOTS



11.5” SUPPRESSED



16” - 48 SLOTS



14.5” - 42 SLOTS



4 PISTOL GRIP

AR 15 STYLE 30°



AR 15 STYLE 15°



5 TRIGGER GROUP

EUROTRIGGER



FULL AUTO



6 UPPER RECEIVER

REMOVABLE FORWARD ASSIST



7 SOUND SUPPRESSOR

5,56MM QD



5,56MM QD TRAINING



5,56MM DM COMPACT



ACCESSORIES

GLX 160



GLX INTERFACE



FLASH HIDER



BLANK FIRING ADAPTOR



VERTICAL GRIP M-LOK FOLDING



BAYONET



FINGER STOP



FORCE-ON-FORCE SIMUNITION AND UTM KIT AVAILABLE.

BDT
BERETTA DEFENSE TECHNOLOGIES

NARP

TECHNICAL SPECIFICATIONS

The latest chapter in Beretta's evolution. Developed in collaboration with elite Special Forces, our state-of-the-art solution delivers unparalleled reliability, ensuring that you can depend on **NARP** to perform consistently, even in the most challenging environments. Engineered with extreme precision and developed according to NATO standards, the NARP guarantees unrivaled accuracy and reliability, enabling modern professionals to execute critical missions with confidence and precision.



CALIBER	5.56x45 NATO
LOCKING SYSTEM	Multi-Lugs / Rotating Bolt
BARREL LENGTH	11.5" / 14.5" / 16"
FIRING MODE	Semiauto / Full Auto
LENGTH / COLLAPSED STOCK	819mm
LENGTH / EXTENDED STOCK	889mm
LENGTH / FOLDED STOCK	668mm
HEIGHT WITH MAGAZINE & FOLDED SIGHT	225mm
WEIGHT WITH EMPTY MAGAZINE	3,3kg
MAGAZINE CAPACITY	30
MAGAZINE MATERIAL	Polymer / Metal
COLOR	Black / Flat Dark Earth



5.56x45 NATO
RWS
SWISS P
MFS
NORMA



NARP

PRÆTORIAN



ECOSYSTEM

1 BARREL

11.5”



16”



14.5”



2 BUTTSTOCK

TELESCOPIC



COLLAPSIBLE



FOLDING COLLAPSIBLE



3 HANDGUARD

11.5” - 42 SLOTS



14,5” - 48 SLOTS



11.5” SUPPRESSED



16” - 48 SLOTS



14.5” - 42 SLOTS



4 PISTOL GRIP

AR 15 STYLE 30°



AR 15 STYLE 15°



5 TRIGGER GROUP

EUROTRIGGER



FULL AUTO



6 UPPER RECEIVER

REMOVABLE FORWARD ASSIST



7 SOUND SUPPRESSOR

6.5 GRENDEL DM COMPACT



6.5 GRENDEL DM TRAINING



ACCESSORIES

GLX 160



GLX INTERFACE



BAYONET



FLASH HIDER



BLANK FIRING ADAPTOR



FINGER STOP



VERTICAL GRIP M-LOK FOLDING



BDT
BERETTA DEFENSE TECHNOLOGIES

NARP

PRÆTORIAN

TECHNICAL SPECIFICATIONS

The **NARP PRAETORIAN**, chambered in 6.5 Grendel, is a precision-engineered rifle designed to deliver tactical superiority. Built for consistent long-range accuracy, it combines advanced ballistics with a compact design and intuitive ergonomics to maximize shooter performance in dynamic combat environments. Designed for operational flexibility, it features a threaded barrel and an optimized gas system ensuring reliable performance during suppressed firing. Whether employed for designated marksman duties or precision support operations, the Praetorian offers unmatched adaptability, control and lethality.



CALIBER	6.5 Grendel
LOCKING SYSTEM	Multi-Lugs / Rotating Bolt
BARREL LENGTH	11.5" / 11.5" Suppressed / 14.5" / 16"
FIRING MODES	Semiauto / Full Auto
LENGTH / COLLAPSED STOCK	763mm
LENGTH / EXTENDED STOCK	846mm
LENGTH / FOLDED STOCK	626mm
HEIGHT WITH MAGAZINE & FOLDED SIGHT	238mm
WEIGHT WITH EMPTY MAGAZINE	3,1kg
MAGAZINE CAPACITY	25
MAGAZINE MATERIAL	Polymer / Metal
COLOR	Black / Flat Dark Earth



6.5 GRENDEL
SWISS P



ECOSYSTEM

1 BARREL

11”



14”



16”



2 7,62 x 39 CONVERSION KIT

LOWER RECEIVER



30 RDS MAGAZINE



16” BARREL



BOLT SYSTEM



3 SOUND SUPPRESSOR

5,56MM QD



7,62MM QD



ACCESSORIES

RAIL COVER



BLANK FIRING ADAPTOR



VERTICAL GRIP SHORT



VERTICAL GRIP LONG



VERTICAL GRIP FOLDABLE QD



GLX 160



GLX INTERFACE



EXTREMA RATIO BAYONET



LOWER PICATINNY ADAPTER



FORCE-ON-FORCE SIMUNITION AND UTM KIT AVAILABLE.

ARX160 A4

TECHNICAL SPECIFICATIONS

The **ARX160 A4** assault rifle improves field efficiency through innovative engineering geared specifically toward the soldier. The ARX160 modular platform features fully ambidextrous controls and a pin-free design.



CALIBER	5.56x45 NATO	7.62x39
LOCKING SYSTEM	Multi-Lugs / Rotating Bolt	Multi-Lugs / Rotating Bolt
BARREL LENGTH	11" / 14" / 16"	16"
FIRING MODE	Semiauto / Full Auto	Semiauto / Full Auto
LENGTH / COLLAPSED STOCK	790mm	840mm
LENGTH / EXTENDED STOCK	850mm	900mm
LENGTH / FOLDED STOCK	630mm	680mm
HEIGHT WITH MAGAZINE & FOLDED SIGHT	280mm	296mm
WEIGHT WITH EMPTY MAGAZINE	3,5kg	3,5kg
MAGAZINE CAPACITY	30	30
MAGAZINE MATERIAL	Polymer / Metal	Metal
COLOR	Black / Flat Dark Earth	Black / Flat Dark Earth



5.56x45 NATO
RWS
SWISS P
MFS
NORMA



7.62x39
MFS

ARX200 A1



ECOSYSTEM

1 BUTTSTOCK

FOLDING COLLAPSIBLE



FOLDING ADJUSTABLE



2 BARREL

13”



16”



3 HANDGUARD

SHORT



4 MAGAZINE

20 RDS



AR10/ SR25 ADAPTER



5 SOUND SUPPRESSOR

7,62MM QD



ACCESSORIES

VERTICAL GRIP M-LOK FOLDING



VERTICAL GRIP SHORT



VERTICAL GRIP LONG



VERTICAL GRIP FOLDABLE QD



PICATINNY SLIDE



BDT BERETTA DEFENSE TECHNOLOGIES

ARX200 A1

TECHNICAL SPECIFICATIONS

The **ARX200 A1** is a next-generation modular assault rifle designed for maximum versatility and high performance. It features fully ambidextrous controls, along with a telescopic and foldable stock.
The rifle's design has been further refined to enhance accuracy, reliability, and ergonomics. Available with 13" and 16" barrels, the ARX200 A1 can be configured for a wide range of operational scenarios, from close-quarters to long-range engagements.



CALIBER	7.62x51 NATO
LOCKING SYSTEM	Multi-Lugs / Rotating Bolt
BARREL LENGTH	13" / 16"
FIRING MODE	Semiauto / Full Auto
LENGTH / COLLAPSED STOCK	880mm
LENGTH / EXTENDED STOCK	950mm
LENGTH / FOLDED STOCK	720mm
HEIGHT WITH MAGAZINE & FOLDED SIGHT	235mm
WEIGHT WITH EMPTY MAGAZINE	4,3kg
MAGAZINE CAPACITY	20
MAGAZINE MATERIAL	Polymer / Metal
COLOR	Black



7.62x51 NATO
RWS
SWISS P
MFS
NORMA

ARX200 A1 DMR



ECOSYSTEM

1 BUTTSTOCK

FOLDING ADJUSTABLE



FOLDING COLLAPSIBLE



2 BARREL

13”



16”



20”



3 HANDGUARD

SHORT



4 MAGAZINE

20 RDS



AR10/ SR25 ADAPTER



5 SOUND SUPPRESSOR

7,62MM QD



ACCESSORIES

VERTICAL GRIP M-LOK FOLDING



VERTICAL GRIP SHORT



VERTICAL GRIP LONG



VERTICAL GRIP FOLDABLE QD



AR 15 STYLE 30°



AR 15 STYLE 15°



ARX200 A1 DMR

TECHNICAL SPECIFICATIONS

The **ARX200 A1 DMR** (Designated Marksman Rifle) is the semi-automatic, high-precision variant of the ARX200 combat rifle, chambered in 7.62x51mm NATO. Available with 13", 16", or 20" barrels, this model is engineered to deliver superior accuracy and enhanced terminal ballistics. Equipped with a two-stage, semi-automatic trigger group and a 20-round magazine, the ARX200 DMR offers a higher rate of fire than traditional bolt-action rifles, enabling rapid and precise engagement of multiple targets.
Designed and manufactured to excel at extended ranges beyond those of standard assault rifles, the ARX200 DMR is the ideal choice for professionals seeking reliability, precision, and power in a single platform.



CALIBER	7.62x51 NATO
LOCKING SYSTEM	Multi-Lugs / Rotating Bolt
BARREL LENGTH	13" / 16" / 20"
FIRING MODE	Semiauto
LENGTH / COLLAPSED STOCK	940mm
LENGTH / EXTENDED STOCK	1000mm
LENGTH / FOLDED STOCK	720mm
HEIGHT WITH MAGAZINE & FOLDED SIGHT	215mm
WEIGHT WITH EMPTY MAGAZINE	4,5kg
MAGAZINE CAPACITY	20
MAGAZINE MATERIAL	Polymer / Metal
COLOR	Black



7.62x51 NATO
RWS
SWISS P
MFS
NORMA



GRENADE LAUNCHERS



GLX160 A3



ECOSYSTEM

ADD-ON ARX160 A4



ADD-ON NARP



1 INTERFACE

STAND ALONE



ADD-ON



2 LAUNCHER TUBE

40 MM LV



3 TRIGGER GROUP

REMOVABLE



4 AIMING SYSTEM

FOLDABLE



GLX160 A3

TECHNICAL SPECIFICATIONS

The **GLX160 A3** is a manually operated, single-shot grenade launcher chambered for low-velocity 40x46 mm ammunition.
The GLX160 is specifically designed to integrate seamlessly with the NARP and ARX160 rifle platforms. Thanks to its quick-mount attachment system, it can also be easily installed on any rifle equipped with a compatible interface. Alternatively, GLX 160 mounted on a stand-alone, five-position telescopic stock that can be adjusted to fit the shooter's requirements and measures. The GLX 160 uses a slide forward configuration, making it fully ambidextrous.



CALIBER	40x46 LV
LOCKING SYSTEM	Locked breech / Rotating bolt
BARREL LENGTH	11"
LENGTH / COLLAPSED STOCK	582mm
LENGTH / EXTENDED STOCK	703mm
HEIGHT WITH MAGAZINE & FOLDED SIGHT	114mm
WEIGHT WITH EMPTY MAGAZINE	1kg
COLOR	Black / Flat Dark Earth



SHOTGUNS



1301 TACTICAL



ECOSYSTEM

1 BUTTSTOCK

STANDARD



MESA



STANDARD KICK OFF PLUS



CHISEL



2 BARREL

18.5" WITH IRON SIGHTS



28"



3 TRIGGER GROUP

STANDARD



SEMIFLAT TRIGGER POLYMER TRIGGER HOUSING COMP LIFTER



SEMIFLAT TRIGGER ALUMINUM TRIGGER HOUSING COMP LIFTER



4 FOREHAND

STANDARD



RUBBER GRIP



M-LOK



5 RECEIVER

TACTICAL



6 MAGAZINE TUBE

STANDARD 5+1 ROUNDS



EXTENDED 7+1 ROUNDS



BDT
BERETTA DEFENSE TECHNOLOGIES

1301 TACTICAL

TECHNICAL SPECIFICATIONS

The **1301 TACTICAL** is designed for professionals who demand absolute reliability and high performance. It combines cutting-edge features with uncompromising functionality. The oversized charging handle, large textured bolt-release, and reversible safety button ensure fast, intuitive operation in all conditions. The aggressively checkered fore-end and stock provide a firm, secure grip—even when wearing gloves.
Equipped with a rugged, protected ghost-ring sight system, the 1301 Tactical offers rapid target acquisition when it matters most. Its interchangeable choke system provides exceptional versatility, allowing the shotgun to adapt seamlessly to a wide range of operational needs and shooting styles.



CALIBER	12 ga
STOCK - LOP	Tactical stock / 13" (extendable w/spacers) / Pistol grip
BARREL LENGTH	18.5" / 28"
OPERATING PRINCIPLE	B-link gas system
CHOKE	Interchangeable / OCHP / Fixed cylinder
FOREND	Patrol M-lok forend
RECEIVER MATERIAL	Aluminum
ACCESSORY RAIL	Picatinny
TRIGGER GROUP	Polymer / Oversized reversible safety / Comp lifter
EJECTION SIDE	Right
MAGAZINE CAPACITY	5+1 / 7+1
LENGTH	96cm - 37.8"
WEIGHT	2.9 / 3.2 kg - 6.4 / 7.1 lbs
SIGHTS SYSTEM	Ghost ring
COLOR	Black



12 ga
RWS



1301 C-UAS



ECOSYSTEM

1 BUTTSTOCK

STANDARD



MESA



STANDARD KICK OFF PLUS



CHISEL



2 BARREL

21”



24”



28”



3 TRIGGER GROUP

STANDARD



SEMIFLAT TRIGGER POLYMER TRIGGER HOUSING COMP LIFTER



SEMIFLAT TRIGGER ALUMINUM TRIGGER HOUSING COMP LIFTER



4 FOREHAND

STANDARD



RUBBER GRIP



M-LOK



5 RECEIVER

COMP STANDARD



6 MAGAZINE TUBE

EXTENDED 8+1 ROUNDS



EXTENDED 10+1 ROUNDS



1301 C-UAS

TECHNICAL SPECIFICATIONS

The 1301 platform has established itself as one of the best combat shotguns on the market. It features an oversized charging handle, a large textured bolt-release, an oversized reversible safety button, and an innovative competition lifter—elements that make all controls intuitive and easy to operate in professional scenarios. The M-lok compatible forend features an aggressive checkering present as well on the stock making it easy to gain a secure grip even while wearing gloves and in high stress situations. An interchangeable choke system allows for maximum flexibility based on use and needs. The **1301 COMP C-UAS** is intended to be a further solution. Retaining all the core technical specifications of the 1301 Tactical in terms of ergonomics and reliability, it introduces an aluminum trigger pack to improve balance and robustness. The barrel is longer and equipped with a tapered rib specifically designed to engage flying targets at extended distances. A picatinny is also offered to mount optics.



CALIBER	12 ga
STOCK - LOP	Tactical stock / 13" (extendable w/spacers)
BARREL LENGTH	21" / 24" / 28"
OPERATING PRINCIPLE	B-link gas system
FOREND	Patrol M-lok forend
SIGHTS SYSTEM	Ramped 10mmx8mm tapered rib
CHOKE	Interchangeable / OCHP
ACCESSORY RAIL	Picatinny
TRIGGER GROUP	Aluminum / Oversized reversible safety / Comp lifter
EJECTION SIDE	Right
MAGAZINE CAPACITY	8+1 / 10+1
LENGTH	105 / 112 cm
WEIGHT	3.3 / 3.4 kg
RECEIVER MATERIAL	Aluminum
COLOR	Black



12 ga
NORMA
RWS



SOUND SUPPRESSORS



B-SILENT 9mm





	PISTOL 9MM		SUBMACHINE GUN 9MM	
CALIBER	9x19		9x19	
BARREL ATTACHMENT	Thread M13,5x1 LH; 1/2-28 UNEF; M14x1; M14x0,75 LH		Tri Lug	
LENGTH	190,2mm (+1,7/-1,9mm)		188mm (mounted 155mm)	
DIAMETER	Φ35 +0,5mm (Φ36,2 +0,5 on aesthetic ribs)		Φ35 +0,5mm (Φ36,2 +0,5 on aesthetic ribs)	
WEIGHT	310g		380g	
BAFFLES	2 Steel Blast Baffles + 3 Aluminum Baffles		5 Steel Baffles	
NOISE REDUCTION	APX Full Size Measured at 1m right to the muzzle Indoor Shooting Range	Fiocchi NATO FMJ 115gr ~ 25dBA Fiocchi Subsonic FMJ 158gr ~ 25dBA RUAG Subsonic FMJ 154gr ~ 27dBA	PMX Measured at 1m right to the muzzle Indoor Shooting Range	Fiocchi NATO FMJ 115gr ~ 23dBA Fiocchi Subsonic FMJ 158gr ~ 26dBA RUAG Subsonic FMJ 154gr ~ 26dBA
FLASH	No visible flash after 2nd round		No visible flash after 2nd round	
ACCURACY	APX Full Size Speer Gold Dot JHP +P 124gr Target at 25m Average of five 10rds target	Rm < 210mm	PMX Fiocchi NATO FMJ 115gr Target at 50m Average of three 10rds target	Rm < 50mm
SHIFT POI		< 30mm		< 90mm
COOLING CYCLE	102rds MAX (six 17rds magazine)		120rds MAX (four 30rds magazine)	
ENDURANCE	> 5.000rds		> 10.000rds	
MAINTENANCE	Every 500rds piston cleaning and lubrication		-	
TECHNOLOGY	Baffle		Baffle	
TEMPERATURE RANGE	- 19°C / + 52°C		- 54°C / + 52°C	
COLOR	Matte Black		Matte Black	

B-SILENT 5,56mm / 7,62mm





	ASSAULT RIFLE 5,56MM		ASSAULT RIFLE 7,62MM	
CALIBER	5,56x45 / .223 REM		7,62x51 / 7,62x39 / 308 WIN	
BARREL ATTACHMENT	QD Fast detachment with ½"-28 dedicated Flash Hider		QD Fast detachment with M15x1 dedicated Flash Hider	
LENGTH	159mm (mounted 99,5mm)		185,5mm (mounted 126mm)	
DIAMETER	Φ38mm		Φ38mm	
WEIGHT	450g		500g	
MATERIAL	3D printed monocore body Inconel 718		3D printed monocore body Inconel 718	
NOISE REDUCTION	NARP 14,5" Fiocchi NATO SS109 Measured at 1m right to the muzzle Indoor Shooting Range	~23,5 dBA	ARX200 DMR 20" Swiss P Target 175gr Measured at 1m right to the muzzle Indoor Shooting Range	~22 dBA
FLASH	No visible flash after 2nd round		No visible flash after 2nd round	
ACCURACY	NARP 14,5" Fiocchi NATO SS109 Target at 100m 10rds target	3 MoA	ARX200 DMR 20" Swiss P Target 175gr Target at 100m 10rds target	1,5 MoA
SHIFT POI		2 MoA		1 MoA
COOLING CYCLE	150rds MAX (five 30rds magazine)		140rds MAX (seven 20rds magazine)	
ENDURANCE	> 6.000rds depending on the firing cycle (for example less than 90rds at 1rds/s)		> 6.000rds depending on the firing cycle (for example less than 90rds at 1rds/s)	
MAINTENANCE	At user level, after each shooting session or each time it is removed from the weapon At armorer every 1.500-2.000rds, or when the weight increase of 25-30g, or whenever possible, about once a year		At user level, after each shooting session or each time it is removed from the weapon. At armorer every 1.500-2.000rds, or when the weight increase of 25-30g, or whenever possible, about once a year	
TECHNOLOGY	Baffle / 3D Printed		Baffle / 3D Printed	
TEMPERATURE RANGE	- 54°C / + 52°C		- 54°C / + 52°C	
COLOR	Matte Black / FDE Cerakote finish		Matte Black / FDE Cerakote finish	

CLOTHING & ACCESSORIES


MULTI TERRAIN CAMO


MULTICAM


WOODLAND GREEN


WOODLAND BLUE


GREEN


TAN


BLACK


BLUE

1 BASE LAYER



UNDERWEAR M/W



SHORT SLEEVE T-SHIRT M/W



DRAWERS M/W



LONG SLEEVE T-SHIRT M/W



LIGHT - HEAVY SOCKS UNISEX

2 COMBAT LAYER



BDU JACKET



BDU PANTS



COMBAT SHIRT



BDU ARMOURED VEHICLES

3 INSULATION LAYER



LIGHT COLD WEATHER FLEECE



MID COLD WEATHER JACKET



EXTREME COLD WEATHER JACKET



EXTREME COLD WEATHER PANTS

4 OUTER LAYER



SOFTSHELL JACKET



HARDSHELL JACKET



HARDSHELL PANTS



BALACLAVA



BEANIE



NECK WARMER



Beretta develops a modular and scalable military clothing system designed to enhance the operational effectiveness of the modern soldier across all mission profiles. By integrating advanced materials from leading manufacturers such as Gore®, Milliken®, and Primaloft®, the system delivers protection, comfort, and mobility in diverse and demanding environments.

Designed in Gardone Val Trompia and certified to the highest international quality and sustainability standards, the Beretta Military Clothing System is developed in close cooperation with end users and fully compliant with NATO requirements.

Beretta is part of the Sistema Soldato Sicuro consortium, supplying the Italian Army program with more than 1.5 million garments delivered, demonstrating proven industrial capacity, scalability, and reliability.
In parallel, the company is actively engaged in G2G (government-to-government) contracts across Europe.





CONTACT US

FABBRICA D'ARMI PIETRO BERETTA

Via Pietro Beretta, 18
25063 Gardone Val Trompia (BS)
ITALY
berettadefense.com

BERETTA DEFENSE TECHNOLOGIES

Lechner Odon Fasor, 6
1095 Budapest
HUNGARY
berettadefensetechnologies.com

BDT

BERETTA DEFENSE TECHNOLOGIES

BERETTA | sako | RWS | SWISS P

Benelli | STEINER | CENTANEX | MFS | norma

www.berettadefensetechnologies.com

BERETTA

berettadefense.com